



TECHNICAL DATA SHEET

ADHESIVE INDICATOR LABEL FOR STEAM STERILIZATION

- PRODUCT CODE** : IL1001
- RELATED STANDARDS** : PMSSteriTest Steam Indicator Label is classified as Type 1 according to ISO 11140-1 standard. CE marking is not applicable for indicator products, because this product is not considered as medical device under the clause of the Medical Device Regulation (EU) 2017/745.
- INTENDED USE** : PMSSteriTest Steam Indicator Labels provide visual confirmation that the package has been processed in a steam sterilizer. PMS Steri-test Indicator labels can be printed with traceability providing data like sterilization/expiry date, autoclave and cycle no.
- OPERATION CONDITIONS** : Steam Indicator Labels are designed operate at steam cycle 134°C - 3,5 minutes or 121 °C - 15 minutes operation conditions.
- | <u>Before Sterilization</u> | <u>After Sterilization</u> |
|--|--|
|  |  |
- CHEMICAL COMPOSITION** : The sterilization indicator ink used for printing contains following components in ppm levels.
- | | |
|--------------------------------|-----|
| Liquid (Water+other additives) | 58% |
| Solid | 42% |
- Contains no substance classified as hazardous, which should be taken into account according to EC directives.
- PRODUCT SPECIFICATIONS** : PMSSteriTest adhesive indicator labels are double sided self-adhesive labels available with chemical indicator for steam sterilization method. Each roll contains 750 pieces indicator printed labels. The indicator is printed as rectangle. Traceability data, sterilization/expiry date, autoclave /cycle no., can be printed on label by using PMS label gun
- PACKAGING** : 750 Lables oer roll



PMSSteriTest™